

~~SECRET~~

~~CONFIDENTIAL~~

Equipment Board

Agenda for Meeting No. 05-60

DATE : Wednesday, 4 May 1960

TIME : 1400 hours

PLACE: Conference Room, 2035 "I" Building

OLD BUSINESS

Agent Communications Equipment, OC-P

NEW BUSINESS

Equipment Review - FY 1961, FY 1962 - OC-P

Discussion of [REDACTED] Keyer, Production/Modification

25X1A

DOC	10	REV DATE	3/3/81	BY	006159
ORIG COMP	5	OPI	38	TYPE	01
ORIG CLASS	5	PAGES	3	REV CLASS	C
JUST	22	NEXT REV	2011	AUTH:	HR 70-2

~~CONFIDENTIAL~~

~~SECRET~~

~~SECRET~~

EB 05-60
10 May 1960

MINUTES

EQUIPMENT BOARD

Meeting number 05-60 of the Equipment Board was held on 4 May 1960 at 1400 hours in Room 2035 "I" Building. Present were:



25X1A

1. The meeting opened with a request by [REDACTED] to first demonstrate two new items of equipment before the Board considered regular business. Items demonstrated were the CO-8, the coder portion of the CK-8, and a new compact version of the DS-1. Both items were well received by board members.

25X1A

2. The Board next considered production of a coder keyer developed in [REDACTED] - known as the [REDACTED] and later designated by Headquarters as the CK-16. After discussing merits of the CK-16 and other keyers, the Board approved procurement of 40 service test models of a CK-16 type keyer. Such modifications, as may be necessary to include keying of transmitter types other than the RT-6, are to be effected. Test models will be forwarded to all overseas areas.

25X1A

3. The Chairman reviewed minutes of the previous meeting, number 4. No changes or corrections to the minutes were recommended.

~~SECRET~~

4. An unfinished item of old business, Agent Communications Equipment, was presented by OC-P. This particular paper/presentation concerned disposition of certain surplus equipment (as listed in CPL 60-26). The Board made the following recommendations keyed to para 2 of the reference paper:

- A. Dispose of 500 surplus GN-58's in FY-60.
- B. Disposal action be withheld pending receipt of an answer [REDACTED] regarding our offer of RS-6's.
- C. Dispose of 486 surplus URC-4's during FY-60.
- D. Dispose of 113 surplus UGP-12's during FY-60.
- E. 285 RS-5's be made available [REDACTED]
- F. 4000 EC-2, EC-2A's be offered to OL for placement in general stock.

25X1A

25X1A

Since there is a reasonably sufficient quantity of RA-2, RP-2 equipments in stock, immediate action is not required to procure these items to balance the deficit in strategic stock levels.

NEW BUSINESS

OC-P presented a compilation of equipment requirements for FY 61-62. It was hoped that the Board could review these figures from both the procurement fund and cost limitation aspects; however, it was determined that a further review between Operations and Engineering would be required before the Board could take action on the matter.

[REDACTED]
Secretary, Equipment Board

25X1A

APPROVED: [REDACTED]

25X1A

SECRET